

Supplier's Declaration of Conformity and Material Declarations

in conformity with the

Hong Kong International Convention for the Safe and Environmentally Sound Recycling of Ships, 2009 (SR/CONF/45)

IMO "Resolution MEPC.269(68)" Adopted on 15 July 2015, 2015 Guideline for the development of the Inventory of Hazardous Materials (IHM)

Regulation EU No. 1257/2013 of the European Parliament and of the council of 20 November 2013 on ship recycling

Document-No.: 9953-8001-000

Issuer: Andreas Schmits

Edition: 02.12.2020



CONTENTS / INHALT

COVER SHEET

DECKBLATT

1 Supplier's Declaration of Conformity (SDOC)

Konformitätserklärung des Lieferanten

1.1 SDOC-GEA_WS_Group_04

Supplier Declaration of Conformity

2 Material Declaration (MD)

Material Deklaration

2.1_MD_SEP_OTC_2020-12	Separator OTC (SEP OTC)
2.2_MD_SEP_OSD_2020-12	Separator OSD (SEP OSD)
2.3_MD_SEP_OSE_2020-12	Separator OSE (SEP OSE)
2.4_MD_SEP_OSF_2020-12	Separator OSF (SEP OSF)
2.5_MD_SEP_WSD_2020-12	Separator WSD (SEP WSD)
2.6_MD_SEP_WSE_2020-12	Separator WSE (SEP WSE)
2.7_MD_SEP_WSF_2020-12	Separator WSF (SEP WSF)
2.8_MD_CU_2020-12	Compact Unit (CU)
2.9_MD_MCU_2020-12	MiniMax Compact Unit (MCU)
2.10_MD_CP_2020-12	Centri-Pack Unit (CP)
2.11_MD_BM_2020-12	BilgeMaster Unit (BM)
2.12_MD_SM_2020-12	SludgeMaster Unit (SM)
2.13_MD_VBU_2020-12	Visco Booster Unit (VBU)
2.14_MD_SWD_2020-12	Sea Water Destiller (SWD)
2.15_MD_BWTS_2020-12	Ballast Water Treatment System (BWTS)
2.16_MD_SCM_2020-12	ScrubberMaster (SCM)
2.17_MD_EM_2020-12	EnergyMaster (EM)
2.18_MD_CFM_2020-12	CatFineMaster (CFM)
2.19_MD_SFM_2020-12	SafetyMaster (SFM)
2.20_MD_BS_2020-12	GEA bilge Separator (BS)
2.21_MD_Spare_parts_2020-12	GEA Spare parts

Supplier's Declaration of Conformity for Material Declaration Management

1)	SDoC No.:	
2)	Issuer's name: Issuer's address:	
3)	Object(s) of declaration:)))
4)	The object(s) of the declarat documents:	described above is/are in conformity with the following
5)	Applicable Regulations or	er stipulated requirements and documents
	Document No. Title	Edition Date of issue
))	Additional Information:	
i)	Additional Information: Signed for and on behalf of	
3)		
5)	Signed for and on behalf o	
§) (7)	Signed for and on behalf o	Signature

<Date of declaration>

Date 2020-12-02

<MD ID number>

1		
	MD-ID-No.	2.1 MD SEP OTC 2020-12

<Other information>

Remark 1		
Remark 2		
Remark 3		

<Supplier (respondent) information>

Company name GEA Westfalia Separator Group GmbH	
Division name	Separation & Flow Technologies
Address Werner-Habig-Straße 1, 59302 Oelde, Germany	
Contact person	Andreas Schmits
Telephone number	+49 2522 77 1942
Fax number	+49 2522 77 31942
E-mail address	andreas.schmits@gea.com
SDoC ID-No.	SDOC-GEA_WS_Group_04

<Product information>

Product name	Product number	Delivered unit		Product information	
Floudethame	Froduct Humber	Amount	Unit	FIOUGE IIIOIIIIauoii	
Separator	ОТС	1	piece	Separator type OTC	

<Material information>

This materials information shows the amount of hazardous materials contained in

Table	Material name		Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used
				Yes/No	Mass	Unit	
	Asbestos		0.1%*	No			
	Polychlorinated biphenyls (PCBs)		50 mg/kg	No			
	Chlorofluorocarbons (CFCs)			No			
		Halons		No			
		Other fully halogenated CFCs		No			
Table A**		Carbon tetrachloride		No			
(materials listed in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention)		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No			
	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1,000 mg/kg	No			
	Lead and lead compoun	ds	1,000 mg/kg	No			
Table B**	Mercury and mercury co	mpounds	1,000 mg/kg	No			
(materials listed in appendix 2 of the Convention)	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
Convention)	Polybrominated dephenyl ethers (PBDEs)		1,000 mg/kg	No			
	Polychloronaphthalenes (Cl >= 3)		50 mg/kg	No			
	Radioactive substances		no threshold level	No			
	Certain shortchain chlorinated paraffins		1%	No			
Annex II***	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg****	No			
materials)	Brominated Flame Retardant (HBCDD)		100 mg/kg	No			

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

^{****}Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

<Date of declaration>

Date	2020-12-02
Duto	

<MD ID number>

MD-ID-No.	2.2 MD SEP OSD 2020-12
ואוט-וט-ואט.	2.2_WB_021 _00B_2020 12

<Other information>

• ti	
Remark 1	
Remark 2	
Remark 3	

<Supplier (respondent) information>

Company name	GEA Westfalia Separator Group GmbH
Division name	Separation & Flow Technologies
Address	Werner-Habig-Straße 1, 59302 Oelde, Germany
Contact person	Andreas Schmits
Telephone number	+49 2522 77 1942
Fax number	+49 2522 77 31942
E-mail address	andreas.schmits@gea.com
SDoC ID-No.	SDOC-GEA_WS_Group_04

<Product information>

Product name	Product number	Delive	red unit	Product information
Floudot liaille	Product number	Amount	Unit	Floudet illioittiation
Separator	OSD	1	piece	Separator type OSD

<Material information>

This materials information shows the amount of hazardous materials contained in

Table	Material name		Threshold level Present above threshold level Yes/No	If y materia	es, al mass	If yes, information on where it is used	
				Yes/No	Mass	Unit	
	Asbestos		0.1%*	No			
	Polychlorinated biphenyl	s (PCBs)	50 mg/kg	No			
		Chlorofluorocarbons (CFCs)		No			
		Halons		No			
		Other fully halogenated CFCs		No			
Table A**		Carbon tetrachloride		No			
(materials listed in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention)		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No			
	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1,000 mg/kg	No			
	Lead and lead compounds		1,000 mg/kg	No			
Table B**	Mercury and mercury compounds		1,000 mg/kg	No			
(materials listed in appendix 2 of the	Polybrominated biphenyl	(PBBs)	50 mg/kg	No			
Convention)	Polybrominated depheny	d ethers (PBDEs)	1,000 mg/kg	No			
	Polychloronaphthalenes (Cl >= 3)		50 mg/kg	No			
	Radioactive substances		no threshold level	No			
	Certain shortchain chlorinated paraffins		1%	No			
Annex II***	Perfluorooctane sulfonic	acid (PFOS)	10 mg/kg****	No			
materials)	Brominated Flame Retardant (HBCDD)		100 mg/kg	No			

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

^{****}Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

<Date of declaration>

Date	2020-12-02

<MD ID number>

MD-ID-No.	2.3 MD SEP OSE 2020-12
11.5 15 1101	

<Other information>

- t		
Remark 1		
Remark 2		
Remark 3		

<Supplier (respondent) information>

Company name	GEA Westfalia Separator Group GmbH		
Division name	Separation & Flow Technologies		
Address	Werner-Habig-Straße 1, 59302 Oelde, Germany		
Contact person	Andreas Schmits		
Telephone number	+49 2522 77 1942		
Fax number	+49 2522 77 31942		
E-mail address	andreas.schmits@gea.com		
SDoC ID-No.	SDOC-GEA_WS_Group_04		

<Product information>

	Product name	Product number	Delive	red unit	Product information
		Product number	Amount	Unit	Floductililottiation
	Separator	OSE	1	piece	Separator type OSE

<Material information>

This materials information shows the amount of hazardous materials contained in

Table	Material name		Threshold level Present above threshold level		If yes, material mass		If yes, information on where it is used
				Yes/No	Mass	Unit	
	Asbestos		0.1%*	No			
	Polychlorinated biphenyl	s (PCBs)	50 mg/kg	No			
		Chlorofluorocarbons (CFCs)		No			
		Halons		No			
		Other fully halogenated CFCs		No			
Table A**		Carbon tetrachloride		No			
(materials listed in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention)		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No			
	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1,000 mg/kg	No			
	Lead and lead compounds		1,000 mg/kg	No			
Table B**	Mercury and mercury compounds		1,000 mg/kg	No			
(materials listed in appendix 2 of the Convention)	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
Convention)	Polybrominated depheny	d ethers (PBDEs)	1,000 mg/kg	No			
	Polychloronaphthalenes	(Cl >= 3)	50 mg/kg	No			
	Radioactive substances		no threshold level	No			
	Certain shortchain chlorinated paraffins		1%	No			
Annex II***	Perfluorooctane sulfonic	acid (PFOS)	10 mg/kg****	No			
materials)	Brominated Flame Retardant (HBCDD)		100 mg/kg	No			

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

^{****}Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

<Date of declaration>

Date	2020-12-02

<MD ID number>

MD-ID-No.	2.4 MD SEP OSF 2020-12
IVID-ID-IVO.	2.1_1112_021 _001 _2020 12

<Other information>

• ti	
Remark 1	
Remark 2	
Remark 3	

<Supplier (respondent) information>

Unit

Company name GEA Westfalia Separator Group GmbH	
Division name	Separation & Flow Technologies
Address	Werner-Habig-Straße 1, 59302 Oelde, Germany
Contact person	Andreas Schmits
Telephone number	+49 2522 77 1942
Fax number	+49 2522 77 31942
E-mail address	andreas.schmits@gea.com
SDoC ID-No.	SDOC-GEA_WS_Group_04

<Product information>

Draduat name	Product number	Delive	red unit	Product information	
Product name	Product number	Amount	Unit		
Separator	OSF	1	piece	Separator type OSF	

<Material information>

This materials information shows the amount of hazardous materials contained in 1 piece

Table	Material name		Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used
				Yes/No	Mass	Unit	
	Asbestos		0.1%*	No			
	Polychlorinated biphenyls (PCBs)		50 mg/kg	No			
		Chlorofluorocarbons (CFCs)		No			
		Halons		No			
		Other fully halogenated CFCs		No			
Table A**		Carbon tetrachloride		No			
(materials listed in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention)		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No			
	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1,000 mg/kg	No			
	Lead and lead compounds		1,000 mg/kg	No			
Table B**	Mercury and mercury compounds		1,000 mg/kg	No			
(materials listed in appendix 2 of the Convention)	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
Convention)	Polybrominated dephen	/l ethers (PBDEs)	1,000 mg/kg	No			
	Polychloronaphthalenes	Polychloronaphthalenes (Cl >= 3)		No			
	Radioactive substances	Radioactive substances		No			
	Certain shortchain chlor	Certain shortchain chlorinated paraffins		No			
Annex II***	Perfluorooctane sulfonio	acid (PFOS)	10 mg/kg****	No			
materials)	Brominated Flame Retardant (HBCDD)		100 mg/kg	No			

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

^{****}Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

<Date of declaration>

5 (2020-12-02
Date	2020-12-02

<MD ID number>

MD-ID-No.	2.5_MD_SEP_WSD_2020-12

<Other information>

• • • • • • • • • • • • • • • • • • • •	
Remark 1	
Remark 2	
Remark 3	

<Supplier (respondent) information>

Company name	Company name GEA Westfalia Separator Group GmbH	
Division name	Separation & Flow Technologies	
Address	Werner-Habig-Straße 1, 59302 Oelde, Germany	
Contact person	Andreas Schmits	
Telephone number	+49 2522 77 1942	
Fax number	+49 2522 77 31942	
E-mail address	andreas.schmits@gea.com	
SDoC ID-No.	SDOC-GEA_WS_Group_04	

<Product information>

Draduat nama	Product number	Delive	red unit	Product information	
Product name	Product number	Amount	Unit	Floduct illioillation	
Separator	WSD	1	piece	Separator type WSD	

<Material information>

This materials information shows the amount of hazardous materials contained in

Table	Material name		Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used
				Yes/No	Mass	Unit	
	Asbestos		0.1%*	No			
	Polychlorinated biphenyls (PCBs)		50 mg/kg	No			
		Chlorofluorocarbons (CFCs)		No			
		Halons		No			
		Other fully halogenated CFCs		No			
Table A**		Carbon tetrachloride		No			
(materials listed in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention)		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No			
	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1,000 mg/kg	No			
	Lead and lead compounds		1,000 mg/kg	No			
Table B**	Mercury and mercury compounds		1,000 mg/kg	No			
(materials listed in appendix 2 of the Convention)	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
Convention)	Polybrominated depheny	/I ethers (PBDEs)	1,000 mg/kg	No			
	Polychloronaphthalenes	Polychloronaphthalenes (Cl >= 3)		No			
	Radioactive substances	Radioactive substances		No			
	Certain shortchain chlorinated paraffins		1%	No			
Annex II***	Perfluorooctane sulfonic	acid (PFOS)	10 mg/kg****	No			
materials)	Brominated Flame Retardant (HBCDD)		100 mg/kg	No			

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

^{****}Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

<Date of declaration>

Date	2020-12-02
Duto	

<MD ID number>

MD-ID-No.	2.6_MD_SEP_WSE_2020-12

<Other information>

Remark 1	
Remark 2	
Remark 3	

<Supplier (respondent) information>

Company name	GEA Westfalia Separator Group GmbH
Division name	Separation & Flow Technologies
Address	Werner-Habig-Straße 1, 59302 Oelde, Germany
Contact person	Andreas Schmits
Telephone number	+49 2522 77 1942
Fax number	+49 2522 77 31942
E-mail address	andreas.schmits@gea.com
SDoC ID-No.	SDOC-GEA_WS_Group_04

<Product information>

	Product name	Product number	Delivered unit		Product information	
		Product number	Amount	Unit	Flouret information	
	Separator	WSE	1	piece	Separator type WSE	

<Material information>

This materials information shows the amount of hazardous materials contained in

Table	Table Material name		Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used
				Yes/No	Mass	Unit	
	Asbestos		0.1%*	No			
	Polychlorinated biphenyl	s (PCBs)	50 mg/kg	No			
	Chlorofluorocarbons (CFCs)			No			
		Halons		No			
		Other fully halogenated CFCs		No			
Table A**		Carbon tetrachloride		No			
(materials listed in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention)		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No			
	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1,000 mg/kg	No			
	Lead and lead compounds		1,000 mg/kg	No			
Table B**	Mercury and mercury compounds		1,000 mg/kg	No			
(materials listed in appendix 2 of the Convention)	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
Convention)	Polybrominated depheny	d ethers (PBDEs)	1,000 mg/kg	No			
	Polychloronaphthalenes (Cl >= 3)		50 mg/kg	No			
	Radioactive substances		no threshold level	No			
	Certain shortchain chlorinated paraffins		1%	No			
Annex II***	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg****	No			
materials)	Brominated Flame Retardant (HBCDD)		100 mg/kg	No			

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

^{****}Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

<Date of declaration>

0-12-02

<MD ID number>

MD ID N	2.7 MD CED WCE 2020 12
MD-ID-No.	2.7_MD_SEP_WSF_2020-12

<Other information>

Remark 1	
Remark 2	
Remark 3	

<Supplier (respondent) information>

Company name	GEA Westfalia Separator Group GmbH
Division name	Separation & Flow Technologies
Address	Werner-Habig-Straße 1, 59302 Oelde, Germany
Contact person	Andreas Schmits
Telephone number	+49 2522 77 1942
Fax number	+49 2522 77 31942
E-mail address	andreas.schmits@gea.com
SDoC ID-No.	SDOC-GEA_WS_Group_04

<Product information>

Product name	Product number	Delivered unit		Product information	
Floudot liaille	Fibuuci Hullibel	Amount	Unit	Floudet illioittiation	
Separator	WSF	1	piece	Separator type WSF	

<Material information>

This materials information shows the amount of hazardous materials contained in

Table	Material name		Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used
				Yes/No	Mass	Unit	
	Asbestos		0.1%*	No			
	Polychlorinated biphenyls (PCBs)		50 mg/kg	No			
	Chlorofluorocarbons (CFCs)			No			
		Halons		No			
		Other fully halogenated CFCs		No			
Table A**		Carbon tetrachloride		No			
(materials listed in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention)		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No			
	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1,000 mg/kg	No			
	Lead and lead compounds		1,000 mg/kg	No			
Table B**	Mercury and mercury compounds		1,000 mg/kg	No			
(materials listed in appendix 2 of the Convention)	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
Convention)	Polybrominated dephen	yl ethers (PBDEs)	1,000 mg/kg	No			
	Polychloronaphthalenes (Cl >= 3)		50 mg/kg	No			
	Radioactive substances		no threshold level	No			
	Certain shortchain chlorinated paraffins		1%	No			
Annex II***	Perfluorooctane sulfonio	acid (PFOS)	10 mg/kg****	No			
materials)	Brominated Flame Retardant (HBCDD)		100 mg/kg	No			

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

^{****}Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

<Date of declaration>

Data	2020-12-02
Date	2020-12-02

<MD ID number>

MD-ID-No.	2.8_MD_CU_2020-12

<Other information>

Remark 1	
Remark 2	
Remark 3	

<Supplier (respondent) information>

Company name GEA Westfalia Separator Group GmbH	
Division name	Separation & Flow Technologies
Address	Werner-Habig-Straße 1, 59302 Oelde, Germany
Contact person	Andreas Schmits
Telephone number	+49 2522 77 1942
Fax number	+49 2522 77 31942
E-mail address	andreas.schmits@gea.com
SDoC ID-No.	SDOC-GEA_WS_Group_04

<Product information>

Product name	Product number	Delivered unit		Product information	
Flouucillanie	Product number	Amount	Unit	Floduct illioilliation	
Compact Unit	CU	1	piece	Compact Unit with Separator	

<Material information>

This materials information shows the amount of hazardous materials contained in

Table	Material name		Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used
				Yes/No	Mass	Unit	
	Asbestos		0.1%*	No			
	Polychlorinated biphenyl	s (PCBs)	50 mg/kg	No			
		Chlorofluorocarbons (CFCs)		No			
		Halons		No			
		Other fully halogenated CFCs		No			
Table A**		Carbon tetrachloride		No			
(materials listed in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention)		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems con as a biocide	taining organotin compounds	2,500 mg total tin/kg	No			
	Cadmium and cadmium	compounds	100 mg/kg	No			
	Hexavalent chromium as compounds	nd hexavalent chromium	1,000 mg/kg	No			
	Lead and lead compoun	ds	1,000 mg/kg	No			
Table B**	Mercury and mercury co	mpounds	1,000 mg/kg	No			
(materials listed in appendix 2 of the Convention)	Polybrominated bipheny	I (PBBs)	50 mg/kg	No			
Convention)	Polybrominated depheny	lybrominated dephenyl ethers (PBDEs)		No			
	Polychloronaphthalenes	Polychloronaphthalenes (Cl >= 3)		No			
	Radioactive substances		no threshold level	No			
	Certain shortchain chlorinated paraffins		1%	No			
Annex II***	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg****	No			
materials)	Brominated Flame Retail	minated Flame Retardant (HBCDD)		No			

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

^{****}Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

<Date of declaration>

0-12-02

<MD ID number>

MD-ID-No.	2.9_MD_MCU_2020-12

<Other information>

Remark 1	
Remark 2	
Remark 3	

<Supplier (respondent) information>

Company name	Company name GEA Westfalia Separator Group GmbH	
Division name	Separation & Flow Technologies	
Address	Werner-Habig-Straße 1, 59302 Oelde, Germany	
Contact person	Andreas Schmits	
Telephone number	+49 2522 77 1942	
Fax number	+49 2522 77 31942	
E-mail address	andreas.schmits@gea.com	
SDoC ID-No.	SDOC-GEA_WS_Group_04	

<Product information>

Product name	Droduct number	Delivered unit		Product information	
Flouucillanie	Product number	Amount	Unit	Floduct illioilliation	
MiniMax Compact Unit	MCU	1	piece	MiniMax Compact Unit with Separator	

<Material information>

This materials information shows the amount of hazardous materials contained in

Table	Material name		Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used
				Yes/No	Mass	Unit	
	Asbestos		0.1%*	No			
	Polychlorinated biphenyl	s (PCBs)	50 mg/kg	No			
		Chlorofluorocarbons (CFCs)		No			
		Halons		No			
		Other fully halogenated CFCs		No			
Table A**		Carbon tetrachloride		No			
(materials listed in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention)		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
	Methyl bromide Bromochloromethane Anti-fouling systems containing organotin compounds as a biocide	Methyl bromide		No			
		Bromochloromethane		No			
		2,500 mg total tin/kg	No				
	Cadmium and cadmium	compounds	100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1,000 mg/kg	No			
	Lead and lead compoun	ds	1,000 mg/kg	No			
Table B**	Mercury and mercury co	mpounds	1,000 mg/kg	No			
(materials listed in appendix 2 of the	Polybrominated bipheny	(PBBs)	50 mg/kg	No			
Convention)	Polybrominated depheny	d ethers (PBDEs)	1,000 mg/kg	No			
	Polychloronaphthalenes	(CI >= 3)	50 mg/kg	No			
	Radioactive substances Certain shortchain chlorinated paraffins		no threshold level	No			
			1%	No			
Annex II***	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg****	No			
materials)	Brominated Flame Retardant (HBCDD)		100 mg/kg	No			

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

^{****}Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

<Date of declaration>

Date	2020-12-02

<MD ID number>

MD-ID-No.	2.10_MD_CP_2020-12

<Other information>

Remark 1	
Remark 2	
Remark 3	

<Supplier (respondent) information>

Company name	Company name GEA Westfalia Separator Group GmbH	
Division name	Separation & Flow Technologies	
Address	Werner-Habig-Straße 1, 59302 Oelde, Germany	
Contact person	Andreas Schmits	
Telephone number	+49 2522 77 1942	
Fax number	+49 2522 77 31942	
E-mail address andreas.schmits@gea.com		
SDoC ID-No. SDOC-GEA_WS_Group_04		

<Product information>

Product name	Product number	Delivered unit		Product information	
Flouucillaille	Froduct number	Amount	Unit	Floduct illioination	
Centri-Pack Unit	СР	1	piece	Centri-Pack Unit with Separator	

<Material information>

This materials information shows the amount of hazardous materials contained in

Table	Material name		Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used
				Yes/No	Mass	Unit	
	Asbestos		0.1%*	No			
	Polychlorinated biphenyl	ls (PCBs)	50 mg/kg	No			
		Chlorofluorocarbons (CFCs)		No			
		Halons		No			
		Other fully halogenated CFCs		No			
Table A**		Carbon tetrachloride		No			
(materials listed in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention)		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems con as a biocide	taining organotin compounds	2,500 mg total tin/kg	No			
	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium a compounds	exavalent chromium and hexavalent chromium impounds		No			
	Lead and lead compoun	ds	1,000 mg/kg	No			
Table B**	Mercury and mercury co	ompounds	1,000 mg/kg	No			
(materials listed in appendix 2 of the Convention)	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
Convention)	Polybrominated depheny	yl ethers (PBDEs)	1,000 mg/kg	No			
	Polychloronaphthalenes (Cl >= 3)		50 mg/kg	No			
	Radioactive substances Certain shortchain chlorinated paraffins		no threshold level	No			
			1%	No			
Annex II***	Perfluorooctane sulfonic acid (PFOS) Brominated Flame Retardant (HBCDD)		10 mg/kg****	No			
materials)			100 mg/kg	No			

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

^{****}Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

<Date of declaration>

Date
Date

<MD ID number>

MD-ID-No.	2.11_MD_BM_2020-12

<Other information>

Remark 1	
Remark 2	
Remark 3	

<Supplier (respondent) information>

Company name	GEA Westfalia Separator Group GmbH
Division name	Separation & Flow Technologies
Address	Werner-Habig-Straße 1, 59302 Oelde, Germany
Contact person	Andreas Schmits
Telephone number	+49 2522 77 1942
Fax number	+49 2522 77 31942
E-mail address	andreas.schmits@gea.com
SDoC ID-No.	SDOC-GEA_WS_Group_04

<Product information>

Product name	Product number	Delivered unit		Product information	
Flouucillaine	Product number	Amount	Unit	Floduct illioination	
BilgeMaster	BilgeMaster	1	piece	Bilge Water Treatment Unit	

<Material information>

This materials information shows the amount of hazardous materials contained in

Table	Material name		Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used
				Yes/No	Mass	Unit	
	Asbestos		0.1%*	No			
	Polychlorinated biphenyl	s (PCBs)	50 mg/kg	No			
		Chlorofluorocarbons (CFCs)		No			
		Halons		No			
		Other fully halogenated CFCs		No			
Table A**		Carbon tetrachloride		No			
(materials listed in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention)		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No			
	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1,000 mg/kg	No			
	Lead and lead compounds		1,000 mg/kg	No			
Table B**	Mercury and mercury compounds		1,000 mg/kg	No			
(materials listed in appendix 2 of the	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
Convention)	Polybrominated dephenyl ethers (PBDEs)		1,000 mg/kg	No			
	Polychloronaphthalenes	(CI >= 3)	50 mg/kg	No			
	Radioactive substances	Radioactive substances		No			
	Certain shortchain chlorinated paraffins		1%	No			
Annex II***	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg****	No			
materials)	Brominated Flame Retardant (HBCDD)		100 mg/kg	No			

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

^{****}Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

<Date of declaration>

Date
Date

<MD ID number>

MD-ID-No.	2.12_MD_SM_2020-12

<Other information>

Remark 1	
Remark 2	
Remark 3	

<Supplier (respondent) information>

Company name	GEA Westfalia Separator Group GmbH
Division name	Separation & Flow Technologies
Address	Werner-Habig-Straße 1, 59302 Oelde, Germany
Contact person	Andreas Schmits
Telephone number	+49 2522 77 1942
Fax number	+49 2522 77 31942
E-mail address	andreas.schmits@gea.com
SDoC ID-No.	SDOC-GEA_WS_Group_04

<Product information>

Product name	Droduct number	Delivered unit		Product information	
Flouucillaille	Product number	Amount	Unit	Floduct illioination	
SludgeMaster	SuldgeMaster 200	1	piece	Sludge Treatment Unit	

<Material information>

This materials information shows the amount of hazardous materials contained in

Table	Material name		Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used
				Yes/No	Mass	Unit	
	Asbestos		0.1%*	No			
	Polychlorinated biphenyl	s (PCBs)	50 mg/kg	No			
		Chlorofluorocarbons (CFCs)		No			
		Halons		No			
		Other fully halogenated CFCs		No			
Table A**		Carbon tetrachloride		No			
(materials listed in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention)		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide	2,500 mg total tin/kg	No				
	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1,000 mg/kg	No			
	Lead and lead compoun	ds	1,000 mg/kg	No			
Table B**	Mercury and mercury co	mpounds	1,000 mg/kg	No			
(materials listed in appendix 2 of the Convention)	Polybrominated bipheny	I (PBBs)	50 mg/kg	No			
Convention)	Polybrominated depheny	yl ethers (PBDEs)	1,000 mg/kg	No			
	Polychloronaphthalenes (Cl >= 3)		50 mg/kg	No			
	Radioactive substances	Radioactive substances		No			
	Certain shortchain chlorinated paraffins		1%	No			
Annex II***	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg****	No			
materials)	Brominated Flame Retardant (HBCDD)		100 mg/kg	No			

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

^{****}Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

<Date of declaration>

Date	2020-12-02
Duto	

<MD ID number>

MD-ID-No.	2.13_MD_VBU_2020-12

<Other information>

Remark 1	
Remark 2	
Remark 3	

<Supplier (respondent) information>

Company name GEA Westfalia Separator Group GmbH	
Division name	Separation & Flow Technologies
Address	Werner-Habig-Straße 1, 59302 Oelde, Germany
Contact person	Andreas Schmits
Telephone number	+49 2522 77 1942
Fax number	+49 2522 77 31942
E-mail address	andreas.schmits@gea.com
SDoC ID-No.	SDOC-GEA_WS_Group_04

<Product information>

Product name	Product number	Delivered unit		Product information	
Flouucillanie	Product number	Amount	Unit	Product information	
Visco Booster Unit	VBU	1	piece	Visco Booster Unit	

<Material information>

This materials information shows the amount of hazardous materials contained in

Table	Material name		Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used
				Yes/No	Mass	Unit	
	Asbestos		0.1%*	No			
	Polychlorinated biphenyl	ls (PCBs)	50 mg/kg	No			
		Chlorofluorocarbons (CFCs)		No			
		Halons		No			
		Other fully halogenated CFCs		No			
Table A**		Carbon tetrachloride		No			
(materials listed in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention)		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No			
	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1,000 mg/kg	No			
	Lead and lead compounds		1,000 mg/kg	No			
Table B**	Mercury and mercury compounds		1,000 mg/kg	No			
(materials listed in appendix 2 of the Convention)	Polybrominated bipheny	I (PBBs)	50 mg/kg	No			
Convention)	Polybrominated depheny	yl ethers (PBDEs)	1,000 mg/kg	No			
	Polychloronaphthalenes (Cl >= 3)		50 mg/kg	No			
	Radioactive substances		no threshold level	No			
	Certain shortchain chlor	inated paraffins	1%	No			
Annex II***	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg****	No			
materials)	Brominated Flame Retardant (HBCDD)		100 mg/kg	No			

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

^{****}Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

<Date of declaration>

Date 20	20-12-02
---------	----------

<MD ID number>

MD-ID-No.	2.14_MD_SWD_2020-12

<Other information>

Remark 1	
Remark 2	
Remark 3	

<Supplier (respondent) information>

Company name	GEA Westfalia Separator Group GmbH
Division name	Separation & Flow Technologies
Address	Werner-Habig-Straße 1, 59302 Oelde, Germany
Contact person	Andreas Schmits
Telephone number	+49 2522 77 1942
Fax number	+49 2522 77 31942
E-mail address	andreas.schmits@gea.com
SDoC ID-No.	SDOC-GEA_WS_Group_04

<Product information>

Product name	Product number	Delivered unit		Product information	
Flouucillanie	Product number	Amount	Unit	Product information	
Sea Water Destiller	SWD	1	piece	Sea Water Destiller	

<Material information>

This materials information shows the amount of hazardous materials contained in

Table	Material name			Present above threshold level	If yes, material mass		If yes, information on where it is used
				Yes/No	Mass	Unit	
	Asbestos		0.1%*	No			
	Polychlorinated biphenyl	s (PCBs)	50 mg/kg	No			
		Chlorofluorocarbons (CFCs)		No			
		Halons		No			
		Other fully halogenated CFCs		No			
Table A**		Carbon tetrachloride		No			
(materials listed in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention)		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems con as a biocide	taining organotin compounds	2,500 mg total tin/kg	No			
	Cadmium and cadmium	compounds	100 mg/kg	No			
	Hexavalent chromium ar compounds	nd hexavalent chromium	1,000 mg/kg	No			
	Lead and lead compoun	ds	1,000 mg/kg	No			
Table B**	Mercury and mercury co	mpounds	1,000 mg/kg	No			
(materials listed in appendix 2 of the Convention)	Polybrominated bipheny	I (PBBs)	50 mg/kg	No			
Convention)	Polybrominated depheny	/I ethers (PBDEs)	1,000 mg/kg	No			
	Polychloronaphthalenes (CI >= 3) Radioactive substances no		50 mg/kg	No			
			no threshold level	No			
	Certain shortchain chlori	nated paraffins	1%	No			
Annex II***	Perfluorooctane sulfonic acid (PFOS) Brominated Flame Retardant (HBCDD)		10 mg/kg****	No			
materials)			100 mg/kg	No			

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

^{****}Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

<Date of declaration>

Date 20	020-12-02
---------	-----------

<MD ID number>

MD-ID-No.	2.15 MD BWTS 2020-12
	' '- '- '

<Other information>

• ti	
Remark 1	
Remark 2	
Remark 3	

<Supplier (respondent) information>

Company name	GEA Westfalia Separator Group GmbH
Division name	Separation & Flow Technologies
Address	Werner-Habig-Straße 1, 59302 Oelde, Germany
Contact person	Andreas Schmits
Telephone number	+49 2522 77 1942
Fax number	+49 2522 77 31942
E-mail address	andreas.schmits@gea.com
SDoC ID-No.	SDOC-GEA_WS_Group_04

<Product information>

Product name		Draduat number	Delivered unit		Product information	
	Flouuci name	Product number Amount U		Unit	F TOGGET (HIGHTIALIGH	
	Ballast Water Treatment System	BWTS Ultra V	1	piece	Ballast Water Treatment System	

<Material information>

This materials information shows the amount of hazardous materials contained in

Table	Material name		above three	Present above threshold level	d If yes, material mass		If yes, information on where it is used
				Yes/No	Mass	Unit	
	Asbestos		0.1%*	No			
	Polychlorinated biphenyl	ls (PCBs)	50 mg/kg	No			
		Chlorofluorocarbons (CFCs)		No			
		Halons		No			
		Other fully halogenated CFCs		No			
Table A**		Carbon tetrachloride		No			
(materials listed in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention)		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems con as a biocide	taining organotin compounds	2,500 mg total tin/kg	No			
	Cadmium and cadmium	compounds	100 mg/kg	No			
	Hexavalent chromium a compounds	nd hexavalent chromium	1,000 mg/kg	No			
	Lead and lead compoun	ds	1,000 mg/kg	No			
Table B**	Mercury and mercury co	ompounds	1,000 mg/kg	No			
(materials listed in appendix 2 of the Convention)	Polybrominated bipheny	I (PBBs)	50 mg/kg	No			
Convention)	Polybrominated depheny	yl ethers (PBDEs)	1,000 mg/kg	No			
	Polychloronaphthalenes	oloronaphthalenes (Cl >= 3) 50 mg/kg		No			
	Radioactive substances no threshold leve		no threshold level	No			
	Certain shortchain chlor	inated paraffins	1%	No			
Annex II***	Perfluorooctane sulfonic acid (PFOS) 10 mg/kg**** Brominated Flame Retardant (HBCDD) 100 mg/kg		10 mg/kg****	No			
materials)			No				

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

^{****}Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

<Date of declaration>

Date 20)20-12-02
---------	-----------

<MD ID number>

MD-ID-No.	2.16_MD_SCM_2020-12

<Other information>

Remark 1	
Remark 2	
Remark 3	

<Supplier (respondent) information>

Company name	GEA Westfalia Separator Group GmbH
Division name Separation & Flow Technologies	
Address	Werner-Habig-Straße 1, 59302 Oelde, Germany
Contact person	Andreas Schmits
Telephone number	+49 2522 77 1942
Fax number	+49 2522 77 31942
E-mail address	andreas.schmits@gea.com
SDoC ID-No.	SDOC-GEA_WS_Group_04

<Product information>

Product name	Product number	Delive	red unit	Product information	
Flouuci name	Product number	Amount	Unit	Floduct illioilliation	
ScrubberMaster	SCM	1	piece	Scrubber Wash Water Treatment Unit	

<Material information>

This materials information shows the amount of hazardous materials contained in

Table	Material name		Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used
				Yes/No	Mass	Unit	
	Asbestos		0.1%*	No			
	Polychlorinated biphenyls (PCBs)		50 mg/kg	No			
		Chlorofluorocarbons (CFCs)		No			
		Halons		No			
		Other fully halogenated CFCs		No			
Table A**		Carbon tetrachloride		No			
(materials listed in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention)		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No			
	Cadmium and cadmium	compounds	100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1,000 mg/kg	No			
	Lead and lead compounds		1,000 mg/kg	No			
Table B**	Mercury and mercury compounds		1,000 mg/kg	No			
(materials listed in appendix 2 of the	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
Convention)	Polybrominated depheny	Polybrominated dephenyl ethers (PBDEs)		No			
	Polychloronaphthalenes	(CI >= 3)	50 mg/kg	No			
	Radioactive substances		no threshold level	No			
	Certain shortchain chlorinated paraffins		1%	No			
Annex II***	Perfluorooctane sulfonic	acid (PFOS)	10 mg/kg****	No			
	Brominated Flame Retardant (HBCDD)		100 mg/kg	No			

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

^{****}Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

<Date of declaration>

Date
Date

<MD ID number>

MD-ID-No.	2.17_MD_EM_2020-12

<Other information>

	· -
Remark 1	
Remark 2	
Remark 3	

<Supplier (respondent) information>

Company name	GEA Westfalia Separator Group GmbH		
Division name	Separation & Flow Technologies		
Address	Werner-Habig-Straße 1, 59302 Oelde, Germany		
Contact person	Andreas Schmits		
Telephone number	+49 2522 77 1942		
Fax number	+49 2522 77 31942		
E-mail address	andreas.schmits@gea.com		
SDoC ID-No.	SDOC-GEA_WS_Group_04		

<Product information>

Draduat nama	Product number	Delivered unit		Product information	
Product name	Froduct number	Amount	Unit	Product information	
EnergyMaster	EM	1	piece	Heat Recovery Unit	

<Material information>

This materials information shows the amount of hazardous materials contained in

Table	Material name		Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used
			Yes/No	Mass	Unit		
	Asbestos		0.1%*	No			
	Polychlorinated biphenyls (PCBs)		50 mg/kg	No			
	Chlorofluorocarbons (CFCs)		No	No			
		Halons		No			
		Other fully halogenated CFCs		No			
Table A**		Carbon tetrachloride		No			
(materials listed in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention)		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No			
	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1,000 mg/kg	No			
	Lead and lead compounds		1,000 mg/kg	No			
Table B**	Mercury and mercury compounds		1,000 mg/kg	No			
(materials listed in appendix 2 of the Convention)	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
Convention)	Polybrominated depheny	/I ethers (PBDEs)	1,000 mg/kg	No			
	Polychloronaphthalenes	Polychloronaphthalenes (Cl >= 3)		No			
	Radioactive substances		no threshold level	No			
	Certain shortchain chlorinated paraffins		1%	No			
Annex II***	Perfluorooctane sulfonic	acid (PFOS)	10 mg/kg****	No			
materials)	Brominated Flame Retardant (HBCDD)		100 mg/kg	No			

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

^{****}Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

<Date of declaration>

Date 20)20-12-02
---------	-----------

<MD ID number>

MD-ID-No.	2.18_MD_CFM_2020-12

<Other information>

		· -
	Remark 1	
	Remark 2	
	Remark 3	

<Supplier (respondent) information>

Company name	GEA Westfalia Separator Group GmbH				
Division name	Separation & Flow Technologies				
Address	Werner-Habig-Straße 1, 59302 Oelde, Germany				
Contact person	Andreas Schmits				
Telephone number	+49 2522 77 1942				
Fax number	+49 2522 77 31942				
E-mail address	andreas.schmits@gea.com				
SDoC ID-No.	SDOC-GEA_WS_Group_04				

<Product information>

	Product name	Product number	Delivered unit		Product information	
	Flouuci name	Product number	Amount	Unit Product Information		
CatFineMaster		CFM	1	piece	Cat Fines Removal Separator Unit	

<Material information>

This materials information shows the amount of hazardous materials contained in

Table	Material name		Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used
				Yes/No	Mass	Unit	
	Asbestos		0.1%*	No			
	Polychlorinated biphenyls (PCBs)		50 mg/kg	No			
	Chlorofluorocarbons (CFC			No			
		Halons		No			
		Other fully halogenated CFCs		No			
Table A**		Carbon tetrachloride		No			
(materials listed in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention)		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No			
	Cadmium and cadmium compounds		100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1,000 mg/kg	No			
	Lead and lead compounds		1,000 mg/kg	No			
Table B**	Mercury and mercury compounds		1,000 mg/kg	No			
(materials listed in appendix 2 of the Convention)	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
Convention)	Polybrominated depheny	yl ethers (PBDEs)	1,000 mg/kg	No			
	Polychloronaphthalenes	Polychloronaphthalenes (Cl >= 3)		No			
	Radioactive substances	Radioactive substances		No			
	Certain shortchain chlorinated paraffins		1%	No			
Annex II***	Perfluorooctane sulfonic	acid (PFOS)	10 mg/kg****	No			
materials)	Brominated Flame Retardant (HBCDD)		100 mg/kg	No			

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

^{****}Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

<Date of declaration>

Date 2020-12-02

<MD ID number>

MD-ID-No.	2.19_MD_SFM_2020-12	

<Other information>

Remark 1				
Remark 2				
Remark 3				

<Supplier (respondent) information>

Company name	GEA Westfalia Separator Group GmbH
Division name	Separation & Flow Technologies
Address	Werner-Habig-Straße 1, 59302 Oelde, Germany
Contact person	Andreas Schmits
Telephone number	+49 2522 77 1942
Fax number	+49 2522 77 31942
E-mail address	andreas.schmits@gea.com
SDoC ID-No.	SDOC-GEA_WS_Group_04

<Product information>

	Draduat nama	Droduct number	Delivered unit		Product information	
	Flouuci liaille	Product name Product number		Unit		
SafetyMaster		SFM	1	piece	SafetyMaster Oil Monitoring Unit	

<Material information>

This materials information shows the amount of hazardous materials contained in

Table Material name		Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used	
				Yes/No	Mass	Unit	
	Asbestos		0.1%*	No			
	Polychlorinated biphenyls (PCBs)		50 mg/kg	No			
		Chlorofluorocarbons (CFCs)		No			
		Halons		No			
		Other fully halogenated CFCs		No			
Table A**		Carbon tetrachloride		No			
(materials listed in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention)		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No			
	Cadmium and cadmium of	compounds	100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1,000 mg/kg	No			
	Lead and lead compounds		1,000 mg/kg	No			
Table B**	Mercury and mercury compounds		1,000 mg/kg	No			
(materials listed in appendix 2 of the	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
Convention)	Polybrominated dephenyl ethers (PBDEs)		1,000 mg/kg	No			
	Polychloronaphthalenes (Cl >= 3)		50 mg/kg	No			
	Radioactive substances		no threshold level	No			
	Certain shortchain chlorinated paraffins		1%	No			
Annex II***	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg****	No			
materials)	Brominated Flame Retardant (HBCDD)		100 mg/kg	No			

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

^{****}Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

<Date of declaration>

<MD ID number>

MD-ID-No.	2.20_MD_BS_2020-12

<Other information>

Remark 1				
Remark 2				
Remark 3				

<Supplier (respondent) information>

Company name	GEA Westfalia Separator Group GmbH
Division name	Separation & Flow Technologies
Address	Werner-Habig-Straße 1, 59302 Oelde, Germany
Contact person	Andreas Schmits
Telephone number	+49 2522 77 1942
Fax number	+49 2522 77 31942
E-mail address	andreas.schmits@gea.com
SDoC ID-No.	SDOC-GEA_WS_Group_04

<Product information>

Product name	Product number	Delivered unit		Product information	
		Amount	Unit	Floduct illioination	
GEA bilge Separator	GEA bilge Separator	1	piece	Bilge Water Treatment Unit	

<Material information>

This materials information shows the amount of hazardous materials contained in

Table	Material name		Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used
				Yes/No	Mass	Unit	
	Asbestos		0.1%*	No			
	Polychlorinated biphenyl	s (PCBs)	50 mg/kg	No			
		Chlorofluorocarbons (CFCs)		No			
		Halons		No			
		Other fully halogenated CFCs		No			
Table A**		Carbon tetrachloride		No			
(materials listed in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention)		Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
	Anti-fouling systems containing organotin compounds as a biocide		2,500 mg total tin/kg	No			
	Cadmium and cadmium	compounds	100 mg/kg	No			
	Hexavalent chromium and hexavalent chromium compounds		1,000 mg/kg	No			
	Lead and lead compoun	ds	1,000 mg/kg	No			
Table B**	Mercury and mercury co	mpounds	1,000 mg/kg	No			
(materials listed in appendix 2 of the Convention)	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
Convention)	Polybrominated dephenyl ethers (PBDEs)		1,000 mg/kg	No			
	Polychloronaphthalenes (Cl >= 3)		50 mg/kg	No			
	Radioactive substances		no threshold level	No			
	Certain shortchain chlorinated paraffins		1%	No			
Annex II***	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg****	No			
materials)	Brominated Flame Retardant (HBCDD)		100 mg/kg	No			

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

^{****}Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.

<Date of declaration>

Date	2020-12-02
Date	2020-12-02

<MD ID number>

MD-ID-No.	2.21 MD Spare parts 2020-12
IVID-ID-IVO.	2.2 ·

<Other information>

Remark 1	
Remark 2	
Remark 3	

<Supplier (respondent) information>

Company name	GEA Westfalia Separator Group GmbH	
Division name	Separation & Flow Technologies	
Address	Werner-Habig-Straße 1, 59302 Oelde, Germany	
Contact person	Andreas Schmits	
Telephone number	+49 2522 77 1942	
Fax number	+49 2522 77 31942	
E-mail address	andreas.schmits@gea.com	
SDoC ID-No.	SDOC-GEA_WS_Group_04	

<Product information>

Product name	Product number	Delivered unit		Product information	
		Amount	Unit	Floduct illioilliation	
GEA Spare parts	GEA Spare parts	1	piece	Spare parts for all machines and plants	

<Material information>

This materials information shows the amount of hazardous materials contained in

Table	Material name		Threshold level	Present above threshold level	If yes, material mass		If yes, information on where it is used
				Yes/No	Mass	Unit	
	Asbestos		0.1%*	No			
	Polychlorinated biphenyl	s (PCBs)	50 mg/kg	No			
		Chlorofluorocarbons (CFCs)		No			
		Halons		No			
		Other fully halogenated CFCs		No			
Table A**		Carbon tetrachloride		No			
(materials listed in appendix 1 of the	Ozon depleting substance	1,1,1-Trichloroethane	no threshold level	No			
Convention)	Hydrochlorofluorocarbons Hydrobromofluorocarbons Hydrobromofluorocarbons Methyl bromide Bromochloromethane Anti-fouling systems containing organotin compounds as a biocide	Hydrochlorofluorocarbons		No			
		Hydrobromofluorocarbons		No			
		Methyl bromide		No			
		Bromochloromethane		No			
		aining organotin compounds	2,500 mg total tin/kg	No			
	Cadmium and cadmium	compounds	100 mg/kg	No			
	Hexavalent chromium ar compounds	d hexavalent chromium	1,000 mg/kg	No			
	Lead and lead compound	ds	1,000 mg/kg	No			
Table B**	Mercury and mercury co	mpounds	1,000 mg/kg	No			
(materials listed in appendix 2 of the	Polybrominated biphenyl (PBBs)		50 mg/kg	No			
Convention)	Polybrominated dephenyl ethers (PBDEs)		1,000 mg/kg	No			
	Polychloronaphthalenes (Cl >= 3)		50 mg/kg	No			
	Radioactive substances		no threshold level	No			
	Certain shortchain chlorinated paraffins		1%	No			
Annex II***	Perfluorooctane sulfonic acid (PFOS)		10 mg/kg****	No			
materials)	Brominated Flame Retardant (HBCDD)		100 mg/kg	No			

^{*}Please refer to footnote 18 on the "Form of Material Declaration" in the IMO Guidelines Resolution MEPC.269(68).

^{****}Regulation EU No. 1257/2013 of the European Parliament and of the Council of 20 November 2013 on Ship Recycling and amending Regulation EC No. 1013/2006 and Directive 2009/16/EC EMSA's Best Practice Guidance on the Inventory of Hazardous Materials, dated 2016-10-28

*****Concentrations of PFOS above 10 mg/kg (0.001% by weight) when it occurs in substances or in preparations or concentrations of PFOS in semi-finished products or articles, or parts thereof equal to or above than 0.1% by weight calculated with reference to the mass of structurally or micro-structurally distinct parts that contain PFOS or for textiles or other coated materials, if the amount of PFOS is equal to or above than 1 µg/m² of the coated material.